

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

- SB  
E1
- and
1. (Currently Amended) A system comprising:  
a subscriber telephonic device connected to a subscriber switched telephone network;  
and  
a data logging unit in the subscriber switched telephone network, the data logging unit storing caller identifying information upon a call to the subscriber telephonic device from a caller telephonic device in a caller switched telephone network, the data logging unit being connected to a network allowing a subscriber access to the caller identifying information via the network, wherein the data logging unit ~~includes~~ comprises a database for storing the caller identifying information, a gateway connected to the internet, and a line peripheral connected to the subscriber switched telephone network ~~and comprises a gateway connected to the internet~~, wherein the database is accessible through the gateway via the internet and separately via ~~a remote~~ the subscriber switched telephonic device network via the line peripheral.
- D/  
Cont
2. (Original) The system of claim 1,  
wherein the subscriber switched telephone network and the caller switched telephone network are the same switched telephone network.
3. (Original) The system of claim 1 further comprising:  
a line connecting the subscriber switched telephone network and the caller switched telephone network for transferring the caller identifying information from the caller switched telephone network to the subscriber switched telephone network.
4. (Original) The system of claim 3,  
wherein the line is one of a CCS7 trunk and a wireless link.
5. (Previously Presented) The system of claim 1,

wherein the database is local to a Service Signal Point of the subscriber switched telephone network.

6. (Currently Amended) The system of claim 5, wherein the data logging unit comprises:

~~a line peripheral; and~~

an intelligent peripheral connected to the line peripheral, wherein the database is connected to the intelligent peripheral.

7. - 10. (Canceled)

11. (Previously Presented) The system of claim 1, wherein the database comprises a storage medium storing the caller identifying information.

12. - 13. (Canceled)

14. (Original) The system of claim 1,

wherein the subscriber may access the caller identifying information via a computer, wherein the computer is connected to an internet service provider, and the internet service provider is connected to the internet.

15. (Currently Amended) A method comprising:

accessing a caller identifying information retrieval service via the internet, wherein the caller identifying information retrieval service allows access via the internet and separately via a remote telephonic device, and wherein the caller identifying information has been logged in a data logging unit within a switched telephone network, the data logging unit comprising a database for storing the caller identifying information, a gateway connected to the internet, and a line peripheral connected to the switched telephone network, wherein the database is accessible through the gateway via the internet and separately via the switched telephonic network via the line peripheral; and

inputting a password into the caller identifying information retrieval service via the internet, where caller identifying information has been logged with the caller identifying information retrieval service.

16. (Original) The method of claim 15,  
wherein the caller identifying information is accessed via a computer connected to an  
internet service provider.

Al  
amt

17. (Currently Amended) A method comprising:  
receiving a call from a subscriber via the internet;  
prompting the subscriber to input a subscriber password to gain access to caller  
identifying information where the caller identifying information has been logged; and  
allowing the subscriber access to the caller identifying information if the subscriber  
inputs a valid subscriber password, wherein the subscriber may access the caller identifying  
information via the internet and separately via a remote telephonic device, and wherein the  
caller identifying information has been logged in a data logging unit within a switched  
telephone network, the data logging unit comprising a database for storing the caller  
identifying information, a gateway connected to the internet, and a line peripheral connected  
to the switched telephone network, wherein the database is accessible through the gateway via  
the internet and separately via the switched telephonic network via the line peripheral.

18. (Previously Presented) The method of claim 17,  
wherein the data logging unit stores the caller identifying information upon a call to a  
subscriber phone.

19. (Original) The method of claim 18,  
wherein the data logging unit includes a database for storing the caller identifying  
information, and wherein the database is local to a Service Signal Point of a switched  
telephone network.

20. (Cancelled)

21. (Original) The method of claim 18, further comprising:  
prompting the subscriber with a greeting message to alert the subscriber of success in  
reaching an caller identifying information retrieval service.

22. (Original) The method of claim 18, further comprising:

prompting the subscriber with a menu of commands allowing the subscriber to chose to review or edit the caller identifying information.

23. (Previously Presented) The method of claim 22, wherein the menu of commands is one of a screen menu and a pull down menu.

24. (Previously Presented) The method of claim 22, wherein the menu of commands includes a command to delete caller identifying information.

25. (Previously Presented) The method of claim 22, wherein the menu of commands includes a command to save caller identifying information.

26. (Previously Presented) The method of claim 25, wherein the caller identifying information may be saved on a hard disk.

27. (Currently Amended) A method comprising:  
accessing a caller identifying information retrieval service via the internet, wherein the caller identifying information retrieval service allows access via the internet and separately via a remote telephonic device;

viewing caller identifying information via the caller identifying information retrieval service, where the caller identifying information includes an indication of whether callers have left voice mail messages to a subscriber phone, wherein the caller identifying information has been logged in a data logging unit within a switched telephone network, the data logging unit comprising a database for storing the caller identifying information, a gateway connected to the internet, and a line peripheral connected to the switched telephone network, wherein the database is accessible through the gateway via the internet and separately via the switched telephonic network via the line peripheral; and  
retrieving at least one of the voice mail messages over the internet.

28. (Currently Amended) A method comprising:

accessing a caller identifying information retrieval service via the internet, wherein the caller identifying information retrieval service allows access via the internet and separately via a remote telephonic device;

viewing caller identifying information from at least one caller via the caller identifying information retrieval service, wherein the caller identifying information has been logged in a data logging unit within a switched telephone network, the data logging unit comprising a database for storing the caller identifying information, a gateway connected to the internet, and a line peripheral connected to the switched telephone network, wherein the database is accessible through the gateway via the internet and separately via the switched telephonic network via the line peripheral; and

calling back the at least one caller via the internet.

29. (Currently Amended) An apparatus comprising:

al  
cmf means for accessing a caller identifying information retrieval service via the internet, wherein the caller identifying information retrieval service allows access via the internet and separately via a remote telephonic device;

means for viewing caller identifying information via the caller identifying information retrieval service, where the caller identifying information includes an indication of whether callers have left voice mail messages to a subscriber phone, wherein the caller identifying information has been logged in a data logging unit within a switched telephone network, the data logging unit comprising a database for storing the caller identifying information, a gateway connected to the internet, and a line peripheral connected to the switched telephone network, wherein the database is accessible through the gateway via the internet and separately via the switched telephonic network via the line peripheral; and

means for retrieving at least one of the voice mail messages over the internet.

30. (Currently Amended) An apparatus comprising:

means for accessing a caller identifying information retrieval service via the internet, wherein the caller identifying information retrieval service allows access via the internet and separately via a remote telephonic device;

means for viewing caller identifying information from at least one caller via the caller identifying information retrieval service, wherein the caller identifying information has been

al  
cmd

logged in a data logging unit within a switched telephone network, the data logging unit comprising a database for storing the caller identifying information, a gateway connected to the internet, and a line peripheral connected to the switched telephone network, wherein the database is accessible through the gateway via the internet and separately via the switched telephonic network via the line peripheral; and

means for calling back the at least one caller via the internet.

---